



Valid from 16 January 2020
to 15 January 2023
Issued on 16 January 2020

As an accredited laboratory, this laboratory is entitled to
use the following accreditation symbol.



ISO/IEC 17025
TL 007-01

Schedule of Accreditation

Accreditation Scheme for Testing / Calibration Laboratories
Sri Lanka Accreditation Board for Conformity Assessment

Accreditation Number: TL 007-01

**Leaf Laboratory
Ceylon Tobacco Company,
No.175, Paranagantota,
Mawilmada, Kandy.**

Scope of Accreditation: Performing Chemical Testing (Tobacco & Cigarette Smoke)
as per the test methods appearing in the schedule.

The Laboratory is accredited for the following tests appear on page 02;

SI NO	Product(s) / Material of test	Specific tests performed	Test Method/ Standard against which tests are performed	Range of testing/ Limits of detection
01	Tobacco	Nicotine (dwb %)	BAT GAT C 001-05:2019	0.20 – 4.80
		Total Sugar (dwb %)	BAT GAT C 002-05:2018	1.3 – 30.0
		Chloride (dwb %)	BAT GAT C 0004-02:2018	0.13– 3.00
		Moisture (%)	BAT GAT – P 0001-05:2019	5.0-20.0
02	Cigarette smoke	Water (mg/ cig)	ISO 10362:2019	1.00 – 4.00
		Nicotine (mg/ cig)	ISO 10315:2014	0.20 – 2.0
		Carbon Monoxide (mg/ cig)	ISO 8454:2009	2.0– 16.0
		Puff No.	BAT GAT S 0001-05:2016	1-18
		Total Particulate matter (mg/cig)	BAT GAT – S 0001-05:2016	2.0 – 30.0
		Nicotine Free Dry Particulate Matter	BAT GAT S0001-05:2016	2.0 – 28.8

Director/CEO
Sri Lanka Accreditation Board for Conformity Assessment