



Valid from 25 September 2017
to 05 June 2020
Issued on 18 October 2017

As an accredited laboratory, this laboratory is entitled to
use the following accreditation symbol.



ISO/ IEC 17025
TL 031-01

Schedule of Accreditation

Sri Lanka Accreditation Board for Conformity
Assessment

Accreditation Number: TL 031-01

Intertek Lanka (Pvt) Ltd
“Intertek House”
No. 282, Kaduwela Road
Battaramulla

Scope of Accreditation: Performing chemical testing on Food & Agricultural products and Fertilizer.

The laboratory is accredited for the tests indicated in page 02

Sl No	Product(s) / Material of test	Specific tests performed	Test Method / Standard against which tests are performed	Range of testing/ Limits of detection
1.0	Fish	Histamine	In house method – CHE/SOP/001: Rev 01 (Modified HPLC Method)	1-250mg/kg
	Fertilizer			
2.1	Ammonium Sulphate, Urea, Monoammonium Phosphate, Rockphosphate, Triple Superphosphate, Single Superphosphate, MOP, Dolomite, Magnesium Sulphate Monohydrate (Fertilizer grades), Mixed Fertilizer	Moisture, percent by mass	SLS 645: Part 2: Method 1: 1984	0.5 - 5.0
2.2	Mixed Fertilizer, Urea	Total Nitrogen, as N, percent by mass	SLS 645: Part 1:2009	0.3 - 50
2.3	Ammonium Sulphate, Ammonium Chloride, Monoammonium Phosphate, Diammonium Phosphate, Mixed Fertilizer	Ammonical Nitrogen, as N, percent by mass	SLS 645: Part 1: Section B: 2009	20.3 – 20.8
2.4	Mixed Fertilizer, Monoammonium Phosphate, Diammonium Phosphate, Rockphosphate, Triple Superphosphate, Single Superphosphate	Total phosphate as P ₂ O ₅ , percent by mass	SLS 645: Part 5: 1985	2.0 – 45
2.5	Monoammonium Phosphate, Diammonium Phosphate, Rockphosphate, Triple Superphosphate, Single Superphosphate	Water soluble phosphate, as P ₂ O ₅ percent by mass	SLS 645: Part 5: 1985	2.0 – 45
2.6	Mixed Fertilizer, Dolomite, Magnesium Sulphate Monohydrate, Epsom Salt	Calcium, as CaO, percent by mass	SLS 645: Part 6 :1990	0.08 – 30
2.7	Mixed Fertilizer, Dolomite, Magnesium Sulphate Monohydrate, Epsom Salt	Magnesium, as MgO, percent by mass	SLS 645: Part 6 :1990	0.05 - 30
2.8	Fertilizer	Arsenic, As	AOAC 2006.03: 2007	0.01 – 10.0 ppm
2.9		Cadmium, Cd	AOAC 2006.03: 2007	
2.10		Chromium, Cr	AOAC 2006.03: 2007	
2.11		Lead, Pb	AOAC 2006.03: 2007	